


LINEAR BAR GRILLES INSTALLATION DETAILS


1. CORE ONLY

All illustrations show the AAG100 style bar with standard frame configurations. Many other frame options, sizes and designs are available either from stock or as a customization.

CORE ONLY DETAILS




Drop in core which can be used for multiple applications where either blocking, wood work, angle or support is in place for the core to rest upon.




2. CORE ONLY *With mounting tabs*

Core only with mounting tabs for fastening to blocking, wood work or angle supports, duct flanges etc. AAG provides mounting fasteners with matching finish.



3. CORE ONLY *With mounting tabs – surface mount*


Core only with mounting tabs, typically used for wall cladding or other decorative purposes. AAG provides mounting fasteners with matching finish.




4. A FRAME

Drop in

A FRAME DETAILS




Drop in A Frame typically used for an enclosure, fin tube opening, floor vents and millwork.



5. A FRAME

With mounting holes


A Frame with countersunk mounting holes in the bottom of the frame. Typical uses are for wall, ceiling, floor, toe-kicks and under benches. AAG provides mounting fasteners with matching finish.



6. A FRAME


With mounting tabs

A Frame with countersunk mounting holes on the inside of frame for fastening to the opening. Always with removable core. Used for wall and ceiling applications. AAG provides mounting fasteners with matching finish.




7. B FRAME *Drop in*



B FRAME DETAILS



BEVELED EDGE




INVERTED



Drop in B Frame typically used for a rough cut opening since the flange provides a crisp, clean, finished appearance.


8. B FRAME *Drop in routed opening*

Drop in B Frame placed into an opening that has routed edges so that the flange is flush to the surrounding surface.



9. B FRAME *Surface mounted with holes*


Surface mounted B Frame with countersunk mounting holes in the flange usually for wall or ceiling. AAG provides mounting fasteners with matching finish.



10. B FRAME

Mounting holes – Removable core


Surface mounted B Frame with countersunk mounting holes in the flange and removable core. For ceiling and walls where access is important. AAG provides mounting fasteners with matching finish.



11. B FRAME

Concealed mounting holes – Removable core


B Frame with countersunk mounting holes through the side of frame for fastening to opening, with removable core. For ceiling and walls where access is important. AAG provides mounting fasteners with matching finish.



12. B FRAME

Mounting tabs


B Frame with mounting tabs for securing to blocking, mill work, supports, angle or duct flange. AAG provides mounting fasteners with matching finish.



13. B FRAME

Reinforced cross bars


B Frame with reinforced cross bars for floor or heavy traffic application. Additional reinforcement provided with custom cross bar spacing. AAG provides mounting fasteners with matching finish.



14. B FRAME


Inverted with mounting holes

Inverted B Frame with countersunk mounting holes in the flange – used in millwork, as a thru-door grille or under mount for a counter. AAG provides mounting fasteners with matching finish.




15. C FRAME

Drop in




C Frame drop in typically used for floor and sill applications.



16. C FRAME

Mounting holes - Removable core


C Frame with countersunk holes in flange and removable core; used for wall and ceiling applications. AAG provides mounting fasteners with matching finish.



17. C FRAME


Concealed mounting holes - Removable core

C Frame with countersunk mounting holes in side of frame for fastening to opening, with removable core; wall and ceiling applications. AAG provides mounting fasteners with matching finish.




18. BAND FRAME *Drop in*

BAND FRAME DETAILS




Drop in Band Frame for enclosures, millwork, and fin tube openings.



19. BAND FRAME *With mounting tabs*


Band Frame with mounting tabs for wall and ceiling applications. AAG provides mounting fasteners with matching finish.



20. BAND FRAME

Concealed mounting holes - Removable core

Band Frame with countersunk holes in the side of frame for fastening to the opening, with removable core; wall and ceiling applications.




21. PLASTER J-BEAD FRAME®


Patent #9,765,988

All illustrations show the AAG100 style bar with standard frame configurations. Many other frame options, sizes and designs are available either from stock or as a customization.

PLASTER J-BEAD FRAME® DETAILS



J-Bead Frame for wall and ceiling applications with fixed core.



22. PLASTER J-BEAD FRAME®

Patent #9,765,988

J-Bead Frame with removable core for wall and ceiling applications.

